


2/18



→ ADDITION BRANCH→ DELETION BRANCH

SET MAXIMUM RADIO BRANCH NUMBER AT THREE

Fig. 2




Fig. S

4/18

DELETION INFORMATION PARAMETER FORMAT

PERCH CHANNEL RECEIVED SIR

CHANNEL TRANSMISSION POWER LEVEL

PERCH

NUMBER OF VISITOR LOCATION SECTORS UNDER COMMUNICATION

ADDITION INFORMATION PARAMETER FORMAT NUMBER OF ADDITION DEO CANDIDATE SECTORS

BASE STATION NUMBER

SECTOR NUMBER

NUMBER OF DELETION DHO
CANDIDATE SECTORS

BASE STATION NUMBER

SECTOR NUMBER

SECTOR NUMBER

STATION NUMBER

BASE

Fig. 4B

Fig. 4A


TRANSMISSION LEVEL


CHANNEL POWER I

PERCH

PERCH CHANNEL RECEIVED SIR

SECTOR NUMBER










Fig. 7





157 :OSCILLATION

INHIBITING

THRESHOLD VALUE

LOW

154-

Fig. 9A






Fig. 9B

. . .. . ..



#Brmax: MAXIMUM RADIO BRANCH NUMBER #Br: COMMUNICATING BRANCH NUMBER #Del: DELETION DHO BRANCH NUMBER #Add: ADDITION DHO BRANCH NUMBER

Fig. 10






Fig. 12A








Fig. 12B









18 / 18

